

1712 Germantown Road Middletown, Ohio 45042-9983 513/422-2751 Fax: 513/422-0812 Purchasing Fax: 513/422-0456

April 8, 1991

Ms. Sheila Sullivan (5HS-11) Waste Management Division U.S. EPA Region IV 230 South Dearborn Street Chicago, Illinois 60604

EPA Region 5 Records Ctr. 275094

Re: General Notice of Liability and Information Request Skinner Landfill, West Chester, Ohio

Dear Ms. Sullivan:

We received the correspondence regarding the Skinner Landfill at West Chester, Ohio on April 4, 1991 reference your No. 5HS-11. Your correspondence was dated March 29, 1991. We have reviewed the correspondence and have several questions which require clarification before we will be able to respond with the information you requested in Items 1-7 on page 3 of the letter.

The letter alleges that Aeronca is a PRP on page 2. The second paragraph on page 2 under the subheading "PRP DETERMINATION" references Attachment A to the basic letter. Attachment A, identified as page 8, makes reference to another attachment from the early 1960's of the complaints filed against the Skinner Landfill. Although we received Attachment A, we did not receive the attachment that was referenced in the first sentence in paragraph 1 on page 8.

On page 5 of the referenced correspondence, under the subheading "PRP LIST", the third sentence references a list as Attachment B to this letter. We likewise did not receive Attachment B to this letter.

Before we can respond as requested, we need to see the attachment referenced on page 8, Attachment A and we need a copy of Attachment B. We would also appreciate any evidence that indicates that Aeronca has been disposing of hazardous waste at the Skinner landfill since 1965 through the present time.

Please be advised that we cannot respond until we have more thoroughly investigated. Your prompt action in forwarding the requested information will assist us in responding as requested on page 3 of your March 29 correspondence.

Sincerely,

H. D. Pratt

Vice President, Administration

/bcs

cc: B. Wade N. Kreider